

[All Products](#) / [Lasers](#) / [Laser Mechanics](#)

RAYLASE Galvanometer Optical Scanners



- 10, 14, and 15mm Mirror Apertures
- Coated for 1064nm Higher Power Laser Applications
- Stable Digital Control for High Speeds
- Dual Axis Configuration

Common Specifications

Physical & Mechanical Properties

Repeatability (μ rad):	<2.0
-----------------------------	------

Optical Properties

Coating:	Dielectric Mirror (1064nm)
----------	----------------------------

Substrate:	Silicon (Si)
------------	--------------

Electrical

Current - Peak (A):	Maximum: 5
---------------------	------------

Current - RMS (A):	2.0
--------------------	-----

Hardware & Interface Connectivity

Power Requirement:	+30 or +48V
--------------------	-------------

Environmental & Durability Factors

Operating Temperature ($^{\circ}$ C):	+15 to +35
--	------------

Technical Information

Products

Title	Stock Number	Price	Buy
#21-948 Clearance			
	Clearance		
Miniscan III 10mm 1064nm Bundle	Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.	₹5,68,800	1 In Stock
#21-949 Clearance			
	Clearance		
Miniscan III 14mm 1064nm Bundle	Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.	₹6,29,100	1 In Stock
#21-950 Clearance			
	Clearance		
Superscan IV 10mm 1064nm Bundle	Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.	₹7,80,750	1 In Stock

[#21-951 Clearance](#)



Superscan IV
15mm
1064nm
Bundle

Clearance

Availability is limited, so buy before these products disappear. Sorry, we cannot accept returns. Receive up to 80% off select products.

₹8,23,500

4 In Stock



Copyright 2023, Edmund Optics India Private Limited, #267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038

Phone: 1-800-363-1992 :

www.edmundoptics.com